



# Citrus Program

## Using Loveland Agri Products





## Citrus Program

### FOLIAR

	Harvest	1st Flush	Post Flower	3cm Fruit	5cm Fruit	2nd Flush	3rd Flush
EzyFlow Nano Trace	-	2L/ ha	-	2L/ ha	-	2L/ ha	2L/ ha
EzyFlow Nano Calbud	5L/ ha	5L/ ha	5L/ ha	-	5L/ ha	-	-
LoKomotive	-	-	5L/ ha	5L/ ha	5L/ ha	5L/ ha	-
Awaken	-	3L/ ha	3L/ ha	-	-	3L/ ha	-
NutriSync D	-	1-2L/ ha	1-2L/ ha	1-2L/ ha	1-2L/ ha	1-2L/ ha	1-2L/ ha

## PRODUCT OVERVIEW

EzyFlow Nano Trace	A multi-trace suspension containing manganese, zinc, iron, magnesium, copper, boron, molybdenum & cobalt designed to correct or prevent micronutrient deficiencies in a wide range of crop situations.
EzyFlow Nano Calbud	Calbud can be safely used during flowering for increased fruit set and cell division for improved fruit size and quality.
Awaken	Formulated with zinc ammonium acetate, potassium and an extensive micronutrient package designed to deliver fast uptake and utilisation of essential nutrients.
LoKomotive	A highly plant available form of potassium acetate, for superior foliar uptake with minimal phytotoxicity potential.
NutriSync D	A unique formulation specifically proven to enhance physiological activity and translocation of nutrients within the plant.

## SOIL AND TISSUE TESTING

Soil Testing	A fully comprehensive soil test is recommended to determine whether EzyFlow Nano Lime or EzyFlow Nano Gypsum is required and at what rate is necessary. It is recommended that a soil sample be collected prior to the commencement of the season and another taken during the season to assess your fertility program and amend as necessary.
Tissue Testing	Tissue tests should be done regularly throughout the growing season to check the suitability of the nutritional program and to amend as necessary. If nutrient levels are low in the plant tissue, it may be worth considering an application of NutriSync D to improve nutrient uptake and translocation. Ideally, collect tissue samples from the same location as soil samples.
Water Testing	Where irrigation is being used it is recommended that the water be tested throughout the season to determine if any amendments are required (e.g. EzyFlow Nano Gypsum), what rate to use and whether the water quality is changing throughout the season.

© 2020 Loveland Agri Products.

DISCLAIMER: The information provided in this publication is intended as a guide only. Although Nutrien Ag Solutions has taken all due care to provide accurate information in this publication, there can be no guarantee that such information is accurate as of the date it is received or that it will continue to be accurate in the future. No one should rely upon the information contained in this publication without appropriate professional advice regarding relevant factors specific to your situation such as planting times and environmental conditions. To the maximum extent permitted by law, and except as prohibited under the Competition and Consumer Act 2010 (Cth), Nutrien Ag Solutions will not be liable for any loss or damage suffered by any person arising out of any reliance on any information, recommendation or advice contained in this publication. Where our liability cannot be excluded, it is limited at our option to supplying the relevant services again, or paying the cost of that supply.

Loveland Agri Products® and the Loveland Agri Products® device are registered trademarks of Loveland Products, Inc. If you do not wish to receive promotional material or mailings from us please contact us on (03) 9209 2000 or via our website [www.nutrienagsolutions.com.au](http://www.nutrienagsolutions.com.au). February 2020.