

# CAUTION

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# BLACK ULTRA®

**SOIL AMENDMENT & FERTILIZER 0-0-4**

### GUARANTEED ANALYSIS

**Potassium (K).....4.0%**

**Derived from potassium hydroxide.**

**ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S)**

**22% ORGANIC ACIDS derived from leonardite.**



**WARNING:** Harmful if swallowed  
Causes eye irritation. May be  
harmful in contact with skin.



Batch Number:

DOM:

**CONTENTS: 20 LITRES**

104980\_0720

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# BLACK ULTRA®

SOIL AMENDMENT & FERTILIZER **0-0-4**

## GUARANTEED ANALYSIS

Potassium (K) .....4.0%

Derived from potassium hydroxide.

ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S)

22% ORGANIC ACIDS derived from leonardite.



**WARNING:** Harmful if swallowed  
 Causes eye irritation. May be  
 harmful in contact with skin.

### DIRECTIONS FOR USE

BLACK ULTRA can be applied to most vegetable and cucurbit crops, field and row crops, deciduous fruit and nut trees, grapes, berries, olives, avocados and citrus. May be applied via center pivot irrigation systems. When mixing with UAN, Ammonium Poly Phosphate or Aqua Ammonia a dilution of BLACK ULTRA with an equal volume of water is recommended. BLACK ULTRA is non-phytotoxic when used as directed. Mixing with irrigation water for field storage is generally not recommended. Products blended with irrigation water should be used immediately and not stored for prolonged periods.

### SOIL APPLICATION RATES

BLACK ULTRA may be applied pre-plant, as a starter, side dress, fertigation, top dressed or applied foliar to the soil. May be diluted with water to ensure uniform distribution. May be used as a pop-up or in furrow at 5 to 37 L/ha.

**VEGETABLES & FRUIT CROPS, FIELD AND ROW CROPS:** Use 5 to 94 L/ha. Repeat applications may be beneficial.

**ORCHARDS & VINEYARDS:** Use 5 to 94 L/ha injected 7.5 to 13 cm deep at the drip line or surface band and water into the soil. Repeat applications may be beneficial.

### FERTIGATION APPLICATION RATES

**CROPS:** Use 5 to 94 L/ha per irrigation. Continue irrigation for a minimum of 2 hours after application to flush lines and to maximize nutrient distribution with drip and micro sprinkler. Repeat applications may be beneficial.  
**APPLICATION THROUGH DRIP IRRIGATION** – inject after irrigation filter.

**TRANSPLANT WATER – FIELD & ROW CROPS, ORCHARDS & VINEYARDS, VEGETABLE & FRUIT CROPS:** Use 5 to 94 L/ha, not to exceed a 3% solution of BLACK ULTRA to water.

### FOLIAR APPLICATION RATES

**FRUIT CROPS:** Apply 3 to 30 L/ha with the appropriate dilution for adequate coverage. A maximum concentration of 1:10 BLACK ULTRA to water should be used for foliar applications. Repeat applications may be beneficial.

### GENERAL INFORMATION

**CAUTION:** DO NOT apply with calcium based fertiliser's such as Calcium Nitrate or Calcium Thiosulfate. Fertiliser solutions with a pH of 5 or less may not be compatible. Combining with liquid fertiliser solutions is more effective if done at a blending plant.

**CAUTION:** Foliar application of BLACK ULTRA close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.

**WARRANTY:** Since weather, crops, soil and other conditions may vary, neither Actagro®, LLC, nor the Seller make a warranty of any kind, expressed or implied, concerning the use of this product. The user assumes all risk of use and handling whether or not in accordance with directions or suggestions.

**KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.**

In case of contact immediately flush skin, eyes or clothing with plenty of water for at least 15 minutes. Use caution when handling. Avoid breathing dust / fume / gas / mist / vapors / spray. Wear protective gloves and eye / face protection. If eye irritation persists: get medical attention.

**IF IN EYES:** Rinse with water for 15 to 20 minutes. Remove contact lenses, if present, and continue rinsing eyes. Call a poison control centre or doctor for treatment advice.

**IF ON SKIN:** Wash with plenty of water for 15 to 20 minutes. If medical advice is needed, have product container or label available. Keep out of reach of children. Read label before use.

### MIXING INSTRUCTIONS

BLACK ULTRA disperses well in water with a minimum of agitation. It may be combined with most fertiliser solutions using adequate agitation during mixing. Dilutions with water may be made at any time.

1. Partially fill tank with water and start agitation.
2. Add BLACK ULTRA slowly to the circulating mix and mix thoroughly.
3. While agitating, add the fertiliser product into the BLACK ULTRA and water solution.

\* Not all Loveland products are compatible with one another or when mixed with other fertilizers and/or pesticides on the market. A small scale compatibility test is recommended prior to mixing

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.html>

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

**CONTENTS:**  
**1000 LITRES**



Batch Number:

DOM:

  
**Loveland**  
 AGRI PRODUCTS

**Distributed by: Nutrien Ag Solutions Limited**

Level 5, Building A, 26 Talavera Road, Macquarie Park, NSW, 2113 • Tel: (02) 9889 5400 • Product Support Tel: 1800 44 88 92

# BLACKULTRA

SOIL AMENDMENT & FERTILIZER

## DIRECTIONS FOR USE

BLACK ULTRA can be applied to most vegetable and cucurbit crops, field and row crops, deciduous fruit and nut trees, grapes, berries, olives, avocados and citrus. May be applied via center pivot irrigation systems. When mixing with UAN, Ammonium Poly Phosphate or Aqua Ammonia a dilution of BLACK ULTRA with an equal volume of water is recommended. BLACK ULTRA is non-phytotoxic when used as directed. Mixing with irrigation water for field storage is generally not recommended. Products blended with irrigation water should be used immediately and not stored for prolonged periods.

## SOIL APPLICATION RATES

BLACK ULTRA may be applied pre-plant, as a starter, side dress, fertigation, top dressed or applied foliar to the soil. May be diluted with water to ensure uniform distribution. May be used as a pop-up or in furrow at 5 to 37 L/ha.

**VEGETABLES & FRUIT CROPS, FIELD AND ROW CROPS:** Use 5 to 94 L/ha. Repeat applications may be beneficial.

**ORCHARDS & VINEYARDS:** Use 5 to 94 L/ha injected 7.5 to 13 cm deep at the drip line or surface band and water into the soil. Repeat applications may be beneficial.

## FERTIGATION APPLICATION RATES

**CROPS:** Use 5 to 94 L/ha per irrigation. Continue irrigation for a minimum of 2 hours after application to flush lines and to maximize nutrient distribution with drip and micro sprinkler. Repeat applications may be beneficial.

APPLICATION THROUGH DRIP IRRIGATION – inject after irrigation filter.

**TRANSPLANT WATER – FIELD & ROW CROPS, ORCHARDS & VINEYARDS, VEGETABLE & FRUIT CROPS:** Use 5 to 94 L/ha, not to exceed a 3% solution of BLACK ULTRA to water.

## FOLIAR APPLICATION RATES

**FRUIT CROPS:** Apply 3 to 30 L/ha with the appropriate dilution for adequate coverage. A maximum concentration of 1:10 BLACK ULTRA to water should be used for foliar applications. Repeat applications may be beneficial.

## GENERAL INFORMATION

**CAUTION:** DO NOT apply with calcium based fertiliser's such as Calcium Nitrate or Calcium Thiosulfate. Fertiliser solutions with a pH of 5 or less may not be compatible. Combining with liquid fertiliser solutions is more effective if done at a blending plant.

**CAUTION:** Foliar application of BLACK ULTRA close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.

**WARRANTY:** Since weather, crops, soil and other conditions may vary, neither Actagro®, LLC, nor the Seller make a warranty of any kind, expressed or implied, concerning the use of this product. The user assumes all risk of use and handling whether or not in accordance with directions or suggestions.

## KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.

In case of contact immediately flush skin, eyes or clothing with plenty of water for at least 15 minutes. Use caution when handling. Avoid breathing dust / fume / gas / mist / vapors / spray. Wear protective gloves and eye / face protection. If eye irritation persists: get medical attention.

**IF IN EYES:** Rinse with water for 15 to 20 minutes. Remove contact lenses, if present, and continue rinsing eyes. Call a poison control centre or doctor for treatment advice.

**IF ON SKIN:** Wash with plenty of water for 15 to 20 minutes. If medical advice is needed, have product container or label available. Keep out of reach of children. Read label before use.

## MIXING INSTRUCTIONS

BLACK ULTRA disperses well in water with a minimum of agitation. It may be combined with most fertiliser solutions using adequate agitation during mixing. Dilutions with water may be made at any time.

1. Partially fill tank with water and start agitation.
2. Add BLACK ULTRA slowly to the circulating mix and mix thoroughly.
3. While agitating, add the fertiliser product into the BLACK ULTRA and water solution.

\* Not all Loveland products are compatible with one another or when mixed with other fertilizers and/or pesticides on the market. A small scale compatibility test is recommended prior to mixing

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.html>

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.



**Distributed by: Nutrien Ag Solutions Limited**

Level 5, Building A, 26 Talavera Road,  
Macquarie Park, NSW, 2113 • Tel: (02) 9889 5400

**Product Support Tel: 1800 44 88 92**