

A high analysis suspension of zinc, manganese and copper blended with kelp extracts, designed to correct or prevent zinc, manganese & copper deficiencies in a wide range of crop situations.

Contains (w/v)%:

MANGANESE (MnCO₃) 30%, ZINC (ZnO) 25%, COPPER (CuO) 10%, Kelp Extract

S.G: ~1.81 | Colour: Orange / Red

WARNING

H411: Toxic to aquatic life with long lasting effects.

P273: Avoid release to the environment. P391: Collect Spillage.

UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide)





Distributed by: Nutrien Ag Solutions

Level 5, Building A, 26 Talavera Road, Macquarie Park NSW 2113 Tel: (02) 9889 5400

Product Support Tel: 1800 44 88 92

EZYFLOW NANO TRIPLE may be applied through liquid injection at seeding time, foliar application or as fertigation as required throughout the growing season.

CROP	RATE / Ha	WATER RATE GUIDE L/Ha	COMMENTS
WHEAT, BARLEY, OATS, TRITICALE, COTTON, PULSES, LEGUMES, CORN and RICE	0.3 - 1L (Foliar) 0.5 - 1L (Liquid Injection)	50 - 100L	Foliar applied at the 3 leaf stage. An additional application may be required prior to flowering. Liquid injection at seeding time.
POTATO	3L	500 - 1000L	Foliar applied at 4-6 leaf stage with follow-up applications as required.
TRUFFLES	2 - 4L	500 - 1000L	Apply through irrigation or spray onto ground as needed once or twice per annum, or as directed by your Agronomist.
VINES	1 - 2L	500 - 1000L	Foliar apply at 3 weeks prior to flowering with additional applications as required.
BEANS, BRASSICAS, CURCURBITS, ONIONS, LEAFY VEGETABLES, POTATOES, TOMATOES AND CHILLIES	1 - 3L	500 - 1000L	Foliar apply at 4-6 leaf stage with follow-up applications as required.
CITRUS	2 - 4L	500 - 1000L	Foliar apply at post harvest. DO NOT apply during budding or fruit development.
AVOCADO	0.5 - 2L (Foliar) 2 - 3L (Fertigated)	500 - 1000L	Foliar apply at pre-flower, between first and second fruit drop. Fertigate through irrigation to coinside with root flushes.
NUTS and STONE FRUIT	2 - 3L	500 - 1000L	Foliar apply at flowering, petal fall, post harvest and leaf fall, with additional applications as required.

DIRECTIONS FOR USE

SHAKE WELL OR INVERT SEVERAL TIMES before use as settling may occur after prolonged storage. Store in a closed, original container in cool, dry, well ventilated area away from direct sunlight. Triple or preferably pressure rinse container before disposal through the Drum Master program. Add rinsings to the spray tank.

MIXING: To ensure even mixing half fill the spray tank with clean water and add the required amount of product. Agitate thoroughly then add the remainder of water. Agitate thoroughly while carrying out spray operations. Reseal part-used containers immediately after use

PRECAUTIONS: Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Clean all equipment before and after use. It is advisable when applying for the first time or in conjunction with other products, to spray an initial small test area for observation before general application.

STORAGE AND HANDLING

KEEP OUT OF REACH OF CHILDREN

When handling or using this product, avoid skin and eye contact, ingestion or inhalation of spray mist. Always wear protective gloves, goggles, hat and protective clothing. Should the product be ingested or symptoms or signs develop after contact with the product, contact your doctor or the Poison Information Centre (13 11 26).

COMPATIBILITY: EZYFLOW NANO TRIPLE is compatible with a wide range of agricultural products. If unsure of tank mixes always conduct a test and test spray a small area of the target crop. For the latest results of compatibility please contact the retailer. Seek professional advice prior to tank mixing with other nutritionals or pesticides. DO NOT MIX WITH HIGH CONCENTRATE OF PHOSPHATE.

CONDITIONS OF SALE

The use of this product is beyond the control of Nutrien Ag Solutions. No warranty is expressed or implied by the buyer. Nutrien Ag Solutions accepts no responsibility for any consequences resulting from the use of this product. Nutrien Ag Solutions will not be held liable for any loss, injury or damage arising from the sale, supply or use of this product, whether through negligence or otherwise. No responsibility will be accepted for any consequences whatsoever resulting from the use of this product.

IN A TRANSPORT EMERGENCY

DIAL 000

POLICE OR FIRE BRIGADE

FOR SPECIALIST ADVICE IN AN EMERGENCY DIAL 1800 033 111 24 HOURS AUSTRALIA WIDE