

# Safety Data Sheet

according to WHS Regulations

Printing date 29.05.2019

Revision: 29.05.2019

## 1 Identification

**Product Name:** LOVELAND EZYFLOW CANOLABUD

**Other Means of Identification:** Mixture

**Recommended Use of the Chemical and Restriction on Use:** Liquid fertiliser

**Details of Manufacturer or Importer:**

Nutrien Ag Solutions  
Level 5, Building A, 26 Talavera Road  
Macquarie Park NSW 2113

**Phone Number:** (02) 9889 5400

**Emergency telephone number:** 1800 033 111

## 2 Hazard(s) Identification

**Hazardous Nature:**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**Signal Word** None

**Hazard Statements**

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements**

P273 Avoid release to the environment.



P501 Dispose of contents/container in accordance with local/regional/national regulations.

## 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Hazardous Components:**

CAS: 7778-18-9	Sulfuric acid, calcium salt (1:1)	15%
CAS: 7439-95-4	Magnesium	1.2%
	 Pyrophoric Solids 1, H250; Water-react. 1, H260	
CAS: 7440-50-8	Copper	1%
	 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

## 4 First Aid Measures

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

(Contd. on page 2)

# Safety Data Sheet

## according to WHS Regulations

Printing date 29.05.2019

Revision: 29.05.2019

**Product Name: LOVELAND EZYFLOW CANOLABUD**

(Contd. of page 1)

**Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

**Symptoms Caused by Exposure:**

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation.

### 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use fire extinguishing methods suitable to surrounding conditions.

**Specific Hazards Arising from the Chemical:**

No hazardous decomposition products known.

This product is not flammable.

Containers close to fire should be removed only if safe to do so.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

### 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use.

### 8 Exposure Controls and Personal Protection

**Exposure Standards:**

**CAS: 7778-18-9 Sulfuric acid, calcium salt (1:1)**

NES	TWA: 10 mg/m <sup>3</sup>
-----	---------------------------

(Contd. on page 3)

# Safety Data Sheet

according to WHS Regulations

Printing date 29.05.2019

Revision: 29.05.2019

**Product Name: LOVELAND EZYFLOW CANOLABUD**

(Contd. of page 2)

WES	TWA: 10 mg/m <sup>3</sup>
<b>CAS: 7439-96-5 Manganese</b>	
NES	STEL: 3** mg/m <sup>3</sup> TWA: 1* 1** mg/m <sup>3</sup> as Mn; *dust and compounds; **fume
WES	STEL: 3** mg/m <sup>3</sup> TWA: 1* 1** mg/m <sup>3</sup> as Mn; *dust and compounds; **fume
<b>CAS: 7440-50-8 Copper</b>	
NES	TWA: 1* 0.2** mg/m <sup>3</sup> *dust & mists (as Cu) **fume
WES	TWA: 1* 0.2** mg/m <sup>3</sup> *dust&mists **fume

**Engineering Controls:**

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

**Respiratory Protection:** Respiratory protection is not required under normal use conditions.

**Skin Protection:**

PVC, or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 Physical and Chemical Properties

**Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Off white
<b>Odour:</b>	No information available
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	No information available
<b>Melting point/freezing point:</b>	No information available
<b>Initial Boiling Point/Boiling Range:</b>	No information available
<b>Flash Point:</b>	Not applicable
<b>Flammability:</b>	Product is not flammable.
<b>Auto-ignition Temperature:</b>	Not applicable
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	Not applicable
<b>Upper:</b>	Not applicable
<b>Vapour Pressure:</b>	No information available
<b>Relative Density:</b>	~1.5
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water:</b>	Soluble

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Printing date 29.05.2019

Revision: 29.05.2019

**Product Name: LOVELAND EZYFLOW CANOLABUD**

(Contd. of page 3)

**Partition Coefficient (n-octanol/water):** No information available

## 10 Stability and Reactivity

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.**Conditions to Avoid:** No further relevant information available.**Incompatible Materials:** No further relevant information available.**Hazardous Decomposition Products:** No hazardous decomposition products known.

## 11 Toxicological Information

**Toxicity:****LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:****CAS: 7439-96-5 Manganese**Oral LD<sub>50</sub> 9,000 mg/kg (rat)**CAS: 7440-50-8 Copper**Oral LD<sub>50</sub> >2,000 mg/kg (rat)**Acute Health Effects****Inhalation:** May cause respiratory irritation.**Skin:** May cause skin irritation.**Eye:** May cause eye irritation.**Ingestion:** May cause gastrointestinal irritation.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

## 12 Ecological Information

**Ecotoxicity:****Aquatic toxicity:**

Harmful to aquatic life with long lasting effects.

(Contd. on page 5)

# Safety Data Sheet

according to WHS Regulations

Printing date 29.05.2019

Revision: 29.05.2019

**Product Name: LOVELAND EZYFLOW CANOLABUD**

(Contd. of page 4)

<b>CAS: 7439-96-5 Manganese</b>	
EC <sub>50</sub> /48 h	0.1 mg/l (carp)
LC <sub>50</sub> /96 h	0.12 mg/l (rainbow trout)
<b>CAS: 7440-50-8 Copper</b>	
EC <sub>50</sub> /48 h	0.792 mg/l (daphnia)
EC <sub>50</sub> /72 h	0.333 mg/l (algae)
LC <sub>50</sub> /96 h	0.0068-0.0156 mg/l (fathead minnow)
	0.0081 mg/l (fish)

**Persistence and Degradability:** No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

## 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

**UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

## 15 Regulatory Information

<b>Australian Inventory of Chemical Substances:</b>	
CAS: 7778-18-9	Sulfuric acid, calcium salt (1:1)
CAS: 7439-96-5	Manganese
CAS: 7440-66-6	Zinc
CAS: 7439-95-4	Magnesium
CAS: 7440-50-8	Copper
CAS: 7440-42-8	Boron
CAS: 7439-98-7	Molybdenum

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:**

Not Scheduled.

## 16 Other Information

**Date of Preparation or Last Revision:** 29.05.2019**Prepared by:** MSDS.COM.AU Pty Ltd

www.msds.com.au

**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC<sub>50</sub>: Lethal concentration, 50 percentLD<sub>50</sub>: Lethal dose, 50 percent

(Contd. on page 6)

# Safety Data Sheet

## according to WHS Regulations

Printing date 29.05.2019

Revision: 29.05.2019

**Product Name: LOVELAND EZYFLOW CANOLABUD**

(Contd. of page 5)

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Pyrophoric Solids 1: Pyrophoric solids, Hazard Category 1

Water-react. 1: Substances and mixtures, which in contact with water, emit flammable gases. Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nutrien Ag Solutions Limited makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.