Safety Data Sheet

according to WHS Regulations

Printing date 07.05.2019 Revision: 07.05.2019

1 Identification

Product Name: EZYFLOW TRIPLE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Trace Element Supplement

Details of Manufacturer or Importer:

Nutrien Ag Solutions Limited

Level 5, Building A, 26 Talavera Road

Macquarie Park NSW 2113

Phone Number: (02) 9889 5400


Emergency telephone number: 1800 033 111

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Signal Word Warning

Hazard Statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:CAS: 1314-13-2Zinc oxideAquatic Acute 1, H400; Aquatic Chronic 1, H41010 - 30%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

(Contd. on page 2)

Safety Data Sheet according to WHS Regulations

according to WHS Regulations

Product Name: EZYFLOW TRIPLE

(Contd. of page 1)

Revision: 07.05.2019

Ingestion:

Printing date 07.05.2019

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. Skin Contact: May cause mild skin irritation. Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

No hazardous decomposition products known.

This product is not flammable.

Containers close to fire should be removed only if safe to do so.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extreme temperatures and direct sunlight. Protect from frost. Keep away from strong oxidising agents and strong bases.

Store at 5 - 30°C.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 1314-13-2 Zinc oxide

NES STEL: 10** mg/m³ TWA: 10* 5** mg/m³

*dust **fume

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 07.05.2019 Revision: 07.05.2019

Product Name: EZYFLOW TRIPLE

(Contd. of page 2)

WES STEL: 10** mg/m³
TWA: 10* 5** mg/m³
*dust **fume

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid suspension
Colour: Orange/Red
Odour: Odourless

Odour Threshold:No information availablepH-Value:7.0 - 7.8 (2% solution)Melting point/freezing point:No information available

Initial Boiling Point/Boiling Range: ~100 °C

Flash Point:

Flammability:

Auto-ignition Temperature:

Decomposition Temperature:

No information available
No information available
No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Density at 20 °C: 1.78 g/cm³

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Insoluble

Partition Coefficient (n-octanol/water): No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extreme temperatures and direct sunlight. **Incompatible Materials:** Strong oxidising agents and strong bases.

Hazardous Decomposition Products: No hazardous decomposition products known.

(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Revision: 07.05.2019

Product Name: EZYFLOW TRIPLE

Printing date 07.05.2019

(Contd. of page 3)

11 Toxicological Information

Toxicity:

LD ₅₀ /LC ₅₀ Values Relevant for Classification:			
CAS: 1314-13-2 Zinc oxide			
Oral	LD ₅₀	>5,000 mg/kg (rat)	
Inhalation	LC ₅₀ /4 h	>5.7 mg/l (rat)	

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: May cause mild skin irritation. **Eye:** May cause eye irritation.

Ingestion: May cause gastrointestinal irritation.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Prolonged skin contact may cause severe dermatitis known as 'oxide pox'.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Very Toxic to aquatic life with long lasting effects.

,	1 3 3			
CAS: 1314-13-2 Zinc oxide				
EC₅₀/48 h	6.9-16.2 mg/l (daphnia)			
EC₅₀/72 h	0.136 mg/l (selenastrum capricornutum)			
LC₅₀/96 h	2,246 mg/l (fathead minnow)			
	0.33-0.78 mg/l (rainbow trout)			

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

Safety Data Sheet

according to WHS Regulations

Printing date 07.05.2019 Revision: 07.05.2019

Product Name: EZYFLOW TRIPLE

(Contd. of page 4)

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3082

Proper Shipping Name

ADG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Zinc oxide)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Zinc oxide), MARINE POLLUTANT

Dangerous Goods Class

ADG Class: 9 Miscellaneous dangerous substances and articles.

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Yes

Symbol (fish and tree)

EMS Number: F-A,S-F

Hazchem Code: •3Z

Special Provisions: 274, 331, 335, 375, AU01

Limited Quantities: 5L

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 1314-13-2 | Zinc oxide CAS: 7732-18-5 | Water

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not Scheduled.

16 Other Information

Date of Preparation or Last Revision: 07.05.2019

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

Safety Data Sheet according to WHS Regulations

Printing date 07.05.2019 Revision: 07.05.2019

Product Name: EZYFLOW TRIPLE

(Contd. of page 5)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nutrien Ag Solutions Limited makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.