

Safety Data Sheet

according to WHS Regulations

Printing date 15.11.2022

Revision: 04.08.2022

1 Identification

Product Name: Loveland Adopt Spray Oil

Other Means of Identification: Mixture

APVMA Approval Number: 89017

Recommended Use of the Chemical and Restriction on Use:

An adjuvated spray oil for use in conjunction with various pesticides.

Details of Manufacturer or Importer:

Nutrien Ag Solutions

Level 5, Building A

26 Talavera Road

Macquarie Park NSW 2113

Phone Number: (02) 9889 5400

Emergency telephone number: 1800 033 111

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Eye Irritation 2A H319 Causes serious eye irritation.

Flammable Liquids 4 H227 Combustible liquid.

Signal Word Warning

Hazard Statements

H227 Combustible liquid.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 15.11.2022

Revision: 04.08.2022

Product Name: Loveland Adopt Spray Oil

(Contd. of page 1)

P391 Collect spillage.
 P403 Store in a well-ventilated place.
 P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 8042-47-5	White mineral oil, petroleum	60-70%
	☠ Aspiration Hazard 1, H304	
	Alkoxylated alcohol non-ionic surfactants (proprietary)	25-30%
	☠ Aquatic Acute 1, H400; ☠ Aquatic Chronic 2, H411; ☠ Eye Irritation 2A, H319	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give 1-2 glasses of water to drink. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected.

Skin Contact: No adverse health effects expected.

Eye Contact: Cause serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and smoke.

Product is combustible. It will burn in a larger fire.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 15.11.2022

Revision: 04.08.2022

Product Name: Loveland Adopt Spray Oil

(Contd. of page 2)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves (preferably elbow-length). See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Yellow
Odour:	Aromatic
Odour Threshold:	No information available
pH-Value:	7.2 (10%)
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	>180 °C
Flash Point:	61-92 °C
Flammability:	Product is combustible
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 15.11.2022

Revision: 04.08.2022

Product Name: Loveland Adopt Spray Oil

(Contd. of page 3)

Explosion Limits:**Lower:** No information available**Upper:** No information available**Vapour Pressure:** No information available**Relative Density:** 0.882**Vapour Density:** No information available**Evaporation Rate:** No information available**Solubility in Water:** No information available**Partition Coefficient (n-octanol/water):** No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.**Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.**Conditions to Avoid:** Direct sunlight, heat, sparks, open flames and other sources of ignition.**Incompatible Materials:** Strong oxidising agents.**Hazardous Decomposition Products:** Oxides of carbon and smoke.

11 Toxicological Information

Toxicity:**LD50/LC50 Values:****CAS: 8042-47-5 White mineral oil, petroleum**

Oral	LD50	>5,000 mg/kg (rat)
	LD50	>2,000 mg/kg (rabbit)
Inhalation	LC50/4 h	>5 mg/l (rat)

Acute Health Effects**Inhalation:** No adverse health effects expected.**Skin:** No adverse health effects expected.**Eye:** Causes serious eye irritation.**Ingestion:** May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Causes serious eye irritation.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Not expected to be a hazard.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 15.11.2022

Revision: 04.08.2022

Product Name: Loveland Adopt Spray Oil

(Contd. of page 4)

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

Toxic to aquatic life with long lasting effects.

CAS: 8042-47-5 White mineral oil, petroleum

EC50/48 h >100 mg/l (daphnia magna)

LC50/96 h >100 mg/l (rainbow trout)

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number**ADG, IMDG, IATA**

UN3082

Proper Shipping Name**ADG, IMDG, IATA**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Alkoxylated alcohol non-ionic
surfactants)**Dangerous Goods Class****ADG Class:**

9

Packing Group:**ADG, IMDG, IATA**

III

Marine pollutant:

No

EMS Number:

F-A,S-F

Hazchem Code:

•3Z

Special Provisions:

274, 331, 335, 375, AU01

Transport/Additional information:Not subject to the ADG Code when transported by road
or rail in packagings that do not incorporate a receptacle
exceeding 500 kg(L) or IBCs. (refer to SP AU01)**Excepted quantities (EQ):**

E1

Limited Quantities:

5L

Packagings & IBCs - Packing Instruction:

P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1**Portable Tanks & Bulk Containers - Instructions:** T4

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 15.11.2022

Revision: 04.08.2022

Product Name: Loveland Adopt Spray Oil

(Contd. of page 5)

Portable Tanks & Bulk Containers - Special Provisions:

TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 89017.

16 Other Information

Date of Preparation or Last Revision: 04.08.2022**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nutrien Ag Solutions makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.